





.  
 - .  
 -  
 2020  
 . - , -  
 ,  
 , - , , ,



. - . ( . . ) 1 2 . - . ( . . ) 1 6  
 ,  
 ( ) 2010, ( ) -1  
 ( . ) , ( ) 1 2011,  
 , ( 60 400 , 10 ) ,  
 , ,



1

1

        -        .

0°/ 0° bi-axial

- ( ) . ( ),  
 & 0° 0° ,  
 0° 0° . 0° 0° ,  
 , ' - ' - ( )  
 , , , , ,  
 , 1 . ,  
 (1 ), (1 2) (1 6). 200  
 (200 ) (2013). (201 )  
 , , , , , ,  
 , , , , , ,  
 , , , , , ,

1, 1, 1 2, 2

( ),

-

, , , , ,

.

,

,

-

/

.

,

.

,

-

-

,

,

.

,

-

.

.

,

,

.

-

-

2006

.

,

.

,

-

( 63),

.

"

" (200 )

"

" (2012)

400

-

50

30

.

## Electromagnetic Shielding Applications of Multi-functional Nanocomposites and CFRP Composite Structures

-

-


, .

( )

-

( - )

(



1 3,

2005,

201 .  
( ) 2010-2012,  
2012-2014 /

400

20

2021 -

\*

+

2020

201

63

04